

**ASUHAN KEBIDANAN *CONTINUITY OF CARE* (COC) PADA NY."A" G1P0A0
DI TPMB Bd.RASIYAH, S.ST KECAMATAN PULO
KABUPATEN LUMAJANG**

CONTINUITY OF CARE



**Oleh :
Izaaty Choirina, S.Keb
NIM. 24106039**

**PRODI PENDIDIKAN PROFESI BIDAN PROGRAM PROFESI
FAKULTAS ILMU KESEHATAN
UNIVERSITAS dr. SOEBANDI
JEMBER
2025**

**ASUHAN KEBIDANAN *CONTINUITY OF CARE* (COC) PADA NY.”A” G1P0A0
DI TPMB Bd.RASIYAH, S.ST KECAMATAN PULO
KABUPATEN LUMAJANG**

CONTINUITY OF CARE

Diajukan sebagai salah satu syarat untuk Untuk Memperoleh Gelar Profesi Bidan
(Bd.)



Oleh :
Izaaty Choirina, S.Keb
NIM. 24106039

**PRODI PENDIDIKAN PROFESI BIDAN PROGRAM PROFESI
FAKULTAS ILMU KESEHATAN
UNIVERSITAS dr. SOEBANDI
JEMBER
2025**

SINOPSIS

Izaaty Choirina, 2025. Continuity of Care for Mrs "A" G1P00000 at TPMB Bd. Rasiyah, S.ST Lumajang. Continuity Of Care Midwifery Care. Midwifery Profession Study Program, University of Dr. Soebandi Jember : (1) Yuningsih, S.ST., M.Keb (2) Bd. Rasiyah, S.ST.

Midwifery services which include maternal and child health starting from pregnancy, childbirth, newborns, postpartum, neonates and family planning. In pregnancy, the problem experienced by the mother is false hysteria. in Postpartum Care the mother experienced breast milk dams, in Neonate Care and BBL there were no problems. Birth control care for the mother is only given counseling and the mother's birth control plan wants to use 3-month injections. This case study aims to provide midwifery care in a continuity of care manner using midwifery management.

Case reports of pregnant women in the third trimester, giving birth, newborns, postpartum, neonates and family planning at TPMB Bd. Boinem, S.ST using 4 SOAP steps, including reviewing subjective, objective data, assessment and management. Pregnancy midwifery care for Mrs "A" G1P100000 UK 35-36 weeks, maternity, newborn, postpartum, neonate and family planning starts from 10 February 2025 to 06 May 2025. The mother is a low risk pregnancy (KRR). The labor lasted 45 minutes, the baby was born spontaneously, full term, crying strongly, active movements, assisted by a female midwife, BB: 3000 gr, PB: 50 cm, IMD was carried out 1 hour. The placenta was born spontaneously, postpartum was normal, the baby's growth and development were normal according to age. After being given family planning counseling at the IV postpartum visit, the mother decided to use 3-month injectable birth control.

The results of case reports on Midwifery Care from pregnancy to family planning had no complications. The mother understands the discomfort felt in the third trimester of pregnancy, namely the presence of false breasts and this is different from the delivery period, understands the adequacy of breast milk for the baby, knowledge about baby care, and the mother can determine what birth control options the mother can use.

After providing continuous care and intervention, it can be concluded that Mrs "A"'s pregnancy is classified as low risk with KSPR 2. Pregnancy, delivery, newborn, postpartum, neonate and family planning care is normal. It is hoped that after being given care, Mrs "A" can apply care to herself and her baby independently.